

Installer - Bug #22135

Installation of foreman-proxy-plugin-ansible always fails

01/03/2018 01:11 PM - Branko Mijuskovic

Status:	Resolved	
Priority:	Normal	
Assignee:		
Category:		
Target version:		
Difficulty:		Fixed in Releases:
Triaged:	No	Found in Releases: 1.16.0
Bugzilla link:		Red Hat JIRA:
Pull request:		
Description		
OS: Ubuntu 16.04, all packages up to date Foreman: 1.16.0		
The foreman has installed on fresh Ubuntu 16.04, only ansible ppa is added. Install of foreman-proxy-plugin-ansible will fail on fresh foreman install as well as on already configured foreman.		
<pre># foreman-installer --enable=foreman-proxy-plugin-ansible Proxy depoyer-foreman2.example.net has failed to load one or more features (Dynflow, Ansible), check /var/log/foreman-proxy/proxy.log for configuration errors /usr/share/foreman-installer/modules/foreman/lib/puppet/provider/foreman_smartproxy/rest_v3.rb:70:in `validate_features!' /usr/share/foreman-installer/modules/foreman/lib/puppet/provider/foreman_smartproxy/rest_v3.rb:59:in `refresh_features!' /usr/share/foreman-installer/modules/foreman/lib/puppet/provider/foreman_smartproxy/rest_v3.rb:48:in `features' /opt/puppetlabs/puppet/lib/ruby/vendor_ruby/puppet/property.rb:194:in `call_provider' /opt/puppetlabs/puppet/lib/ruby/vendor_ruby/puppet/property.rb:502:in `set' /opt/puppetlabs/puppet/lib/ruby/vendor_ruby/puppet/property.rb:564:in `sync' /opt/puppetlabs/puppet/lib/ruby/vendor_ruby/puppet/transaction/resource_harness.rb:236:in `sync' /opt/puppetlabs/puppet/lib/ruby/vendor_ruby/puppet/transaction/resource_harness.rb:134:in `sync_if_needed' /opt/puppetlabs/puppet/lib/ruby/vendor_ruby/puppet/transaction/resource_harness.rb:88:in `block in perform_changes' /opt/puppetlabs/puppet/lib/ruby/vendor_ruby/puppet/transaction/resource_harness.rb:87:in `each' /opt/puppetlabs/puppet/lib/ruby/vendor_ruby/puppet/transaction/resource_harness.rb:87:in `perform_changes' /opt/puppetlabs/puppet/lib/ruby/vendor_ruby/puppet/transaction/resource_harness.rb:21:in `evaluate' /opt/puppetlabs/puppet/lib/ruby/vendor_ruby/puppet/transaction.rb:248:in `apply' /opt/puppetlabs/puppet/lib/ruby/vendor_ruby/puppet/transaction.rb:267:in `eval_resource' /opt/puppetlabs/puppet/lib/ruby/vendor_ruby/puppet/transaction.rb:179:in `call' /opt/puppetlabs/puppet/lib/ruby/vendor_ruby/puppet/transaction.rb:179:in `block (2 levels) in evaluate' /opt/puppetlabs/puppet/lib/ruby/vendor_ruby/puppet/util.rb:511:in `block in thinmark' /opt/puppetlabs/puppet/lib/ruby/2.4.0/benchmark.rb:308:in `realtime' /opt/puppetlabs/puppet/lib/ruby/vendor_ruby/puppet/util.rb:510:in `thinmark' /opt/puppetlabs/puppet/lib/ruby/vendor_ruby/puppet/transaction.rb:179:in `block in evaluate' /opt/puppetlabs/puppet/lib/ruby/vendor_ruby/puppet/graph/relationship_graph.rb:121:in `traverse' /opt/puppetlabs/puppet/lib/ruby/vendor_ruby/puppet/transaction.rb:169:in `evaluate' /usr/lib/ruby/vendor_ruby/kafo/modules/kafo_configure/lib/puppet/parser/functions/add_progress.rb:30:in `evaluate_with_trigger' /opt/puppetlabs/puppet/lib/ruby/vendor_ruby/puppet/resource/catalog.rb:225:in `block in apply' /opt/puppetlabs/puppet/lib/ruby/vendor_ruby/puppet/util/log.rb:155:in `with_destination' /opt/puppetlabs/puppet/lib/ruby/vendor_ruby/puppet/transaction/report.rb:140:in `as_logging_destination' /opt/puppetlabs/puppet/lib/ruby/vendor_ruby/puppet/resource/catalog.rb:224:in `apply'</pre>		

```
/opt/puppetlabs/puppet/lib/ruby/vendor_ruby/puppet/configurer.rb:172:in `block in apply_catalog'
/opt/puppetlabs/puppet/lib/ruby/vendor_ruby/puppet/util.rb:224:in `block in benchmark'
/opt/puppetlabs/puppet/lib/ruby/2.4.0/benchmark.rb:308:in `realtime'
/opt/puppetlabs/puppet/lib/ruby/vendor_ruby/puppet/util.rb:223:in `benchmark'
/opt/puppetlabs/puppet/lib/ruby/vendor_ruby/puppet/configurer.rb:171:in `apply_catalog'
/opt/puppetlabs/puppet/lib/ruby/vendor_ruby/puppet/configurer.rb:344:in `run_internal'
/opt/puppetlabs/puppet/lib/ruby/vendor_ruby/puppet/configurer.rb:222:in `block in run'
/opt/puppetlabs/puppet/lib/ruby/vendor_ruby/puppet/context.rb:65:in `override'
/opt/puppetlabs/puppet/lib/ruby/vendor_ruby/puppet.rb:263:in `override'
/opt/puppetlabs/puppet/lib/ruby/vendor_ruby/puppet/configurer.rb:196:in `run'
/opt/puppetlabs/puppet/lib/ruby/vendor_ruby/puppet/application/apply.rb:356:in `apply_catalog'
/opt/puppetlabs/puppet/lib/ruby/vendor_ruby/puppet/application/apply.rb:280:in `block (2 levels) in main'
/opt/puppetlabs/puppet/lib/ruby/vendor_ruby/puppet/context.rb:65:in `override'
/opt/puppetlabs/puppet/lib/ruby/vendor_ruby/puppet.rb:263:in `override'
/opt/puppetlabs/puppet/lib/ruby/vendor_ruby/puppet/application/apply.rb:280:in `block in main'
/opt/puppetlabs/puppet/lib/ruby/vendor_ruby/puppet/context.rb:65:in `override'
/opt/puppetlabs/puppet/lib/ruby/vendor_ruby/puppet.rb:263:in `override'
/opt/puppetlabs/puppet/lib/ruby/vendor_ruby/puppet/application/apply.rb:233:in `main'
/opt/puppetlabs/puppet/lib/ruby/vendor_ruby/puppet/application/apply.rb:174:in `run_command'
/opt/puppetlabs/puppet/lib/ruby/vendor_ruby/puppet/application.rb:358:in `block in run'
/opt/puppetlabs/puppet/lib/ruby/vendor_ruby/puppet/util.rb:666:in `exit_on_fail'
/opt/puppetlabs/puppet/lib/ruby/vendor_ruby/puppet/application.rb:358:in `run'
/opt/puppetlabs/puppet/lib/ruby/vendor_ruby/puppet/util/command_line.rb:132:in `run'
/opt/puppetlabs/puppet/lib/ruby/vendor_ruby/puppet/util/command_line.rb:72:in `execute'
/opt/puppetlabs/puppet/bin/puppet:5:in `<main>'

/Stage[main]/Foreman_proxy::Register[Foreman_smartproxy[depoyer-foreman2.example.net]]/features: change from ["Logs", "Puppet", "Puppet CA", "TFTP"] to ["Ansible", "Dynflow", "Logs", "Puppet", "Puppet CA", "TFTP"] failed: Proxy depoyer-foreman2.example.net has failed to load one or more features (Dynflow, Ansible), check /var/log/foreman-proxy/proxy.log for configuration errors
/Stage[main]/Foreman_proxy::Register[Foreman_smartproxy[depoyer-foreman2.example.net]]: Failed to call refresh: Proxy depoyer-foreman2.example.net has failed to load one or more features (Dynflow, Ansible), check /var/log/foreman-proxy/proxy.log for configuration errors
/Stage[main]/Foreman_proxy::Register[Foreman_smartproxy[depoyer-foreman2.example.net]]: Proxy depoyer-foreman2.example.net has failed to load one or more features (Dynflow, Ansible), check /var/log/foreman-proxy/proxy.log for configuration errors
/usr/share/foreman-installer/modules/foreman/lib/puppet/provider/foreman_smartproxy/rest_v3.rb:70:in `validate_features!'
/usr/share/foreman-installer/modules/foreman/lib/puppet/provider/foreman_smartproxy/rest_v3.rb:59:in `refresh_features!'
/usr/share/foreman-installer/modules/foreman/lib/puppet/type/foreman_smartproxy.rb:73:in `refresh'
/opt/puppetlabs/puppet/lib/ruby/vendor_ruby/puppet/transaction/event_manager.rb:147:in `process_callback'
/opt/puppetlabs/puppet/lib/ruby/vendor_ruby/puppet/transaction/event_manager.rb:34:in `block in process_events'
/opt/puppetlabs/puppet/lib/ruby/vendor_ruby/puppet/transaction/event_manager.rb:119:in `block in queued_events'
/opt/puppetlabs/puppet/lib/ruby/vendor_ruby/puppet/transaction/event_manager.rb:33:in `process_events'
/opt/puppetlabs/puppet/lib/ruby/vendor_ruby/puppet/transaction/event_manager.rb:118:in `each'
/opt/puppetlabs/puppet/lib/ruby/vendor_ruby/puppet/transaction/event_manager.rb:118:in `queued_events'
/opt/puppetlabs/puppet/lib/ruby/vendor_ruby/puppet/transaction/event_manager.rb:33:in `process_events'
/opt/puppetlabs/puppet/lib/ruby/vendor_ruby/puppet/transaction.rb:268:in `eval_resource'
/opt/puppetlabs/puppet/lib/ruby/vendor_ruby/puppet/transaction.rb:179:in `call'
/opt/puppetlabs/puppet/lib/ruby/vendor_ruby/puppet/transaction.rb:179:in `block (2 levels) in evaluate'
/opt/puppetlabs/puppet/lib/ruby/vendor_ruby/puppet/util.rb:511:in `block in thinmark'
/opt/puppetlabs/puppet/lib/ruby/2.4.0/benchmark.rb:308:in `realtime'
/opt/puppetlabs/puppet/lib/ruby/vendor_ruby/puppet/util.rb:510:in `thinmark'
/opt/puppetlabs/puppet/lib/ruby/vendor_ruby/puppet/transaction.rb:179:in `block in evaluate'
/opt/puppetlabs/puppet/lib/ruby/vendor_ruby/puppet/graph/relationship_graph.rb:121:in `traverse'
/opt/puppetlabs/puppet/lib/ruby/vendor_ruby/puppet/transaction.rb:169:in `evaluate'
/usr/lib/ruby/vendor_ruby/kafo/modules/kafo_configure/lib/puppet/parser/functions/add_progress.rb:30:in `evaluate_with_trigger'
/opt/puppetlabs/puppet/lib/ruby/vendor_ruby/puppet/resource/catalog.rb:225:in `block in apply'
/opt/puppetlabs/puppet/lib/ruby/vendor_ruby/puppet/util/log.rb:155:in `with_destination'
/opt/puppetlabs/puppet/lib/ruby/vendor_ruby/puppet/transaction/report.rb:140:in `as_logging_destination'
```

```

ation'
/opt/puppetlabs/puppet/lib/ruby/vendor_ruby/puppet/resource/catalog.rb:224:in `apply'
/opt/puppetlabs/puppet/lib/ruby/vendor_ruby/puppet/configurer.rb:172:in `block in apply_catalog'
/opt/puppetlabs/puppet/lib/ruby/vendor_ruby/puppet/util.rb:224:in `block in benchmark'
/opt/puppetlabs/puppet/lib/ruby/2.4.0/benchmark.rb:308:in `realtime'
/opt/puppetlabs/puppet/lib/ruby/vendor_ruby/puppet/util.rb:223:in `benchmark'
/opt/puppetlabs/puppet/lib/ruby/vendor_ruby/puppet/configurer.rb:171:in `apply_catalog'
/opt/puppetlabs/puppet/lib/ruby/vendor_ruby/puppet/configurer.rb:344:in `run_internal'
/opt/puppetlabs/puppet/lib/ruby/vendor_ruby/puppet/configurer.rb:222:in `block in run'
/opt/puppetlabs/puppet/lib/ruby/vendor_ruby/puppet/context.rb:65:in `override'
/opt/puppetlabs/puppet/lib/ruby/vendor_ruby/puppet.rb:263:in `override'
/opt/puppetlabs/puppet/lib/ruby/vendor_ruby/puppet/configurer.rb:196:in `run'
/opt/puppetlabs/puppet/lib/ruby/vendor_ruby/puppet/application/apply.rb:356:in `apply_catalog'
/opt/puppetlabs/puppet/lib/ruby/vendor_ruby/puppet/application/apply.rb:280:in `block (2 levels) i
n main'
/opt/puppetlabs/puppet/lib/ruby/vendor_ruby/puppet/context.rb:65:in `override'
/opt/puppetlabs/puppet/lib/ruby/vendor_ruby/puppet.rb:263:in `override'
/opt/puppetlabs/puppet/lib/ruby/vendor_ruby/puppet/application/apply.rb:280:in `block in main'
/opt/puppetlabs/puppet/lib/ruby/vendor_ruby/puppet/context.rb:65:in `override'
/opt/puppetlabs/puppet/lib/ruby/vendor_ruby/puppet.rb:263:in `override'
/opt/puppetlabs/puppet/lib/ruby/vendor_ruby/puppet/application/apply.rb:233:in `main'
/opt/puppetlabs/puppet/lib/ruby/vendor_ruby/puppet/application/apply.rb:174:in `run_command'
/opt/puppetlabs/puppet/lib/ruby/vendor_ruby/puppet/application.rb:358:in `block in run'
/opt/puppetlabs/puppet/lib/ruby/vendor_ruby/puppet/util.rb:666:in `exit_on_fail'
/opt/puppetlabs/puppet/lib/ruby/vendor_ruby/puppet/application.rb:358:in `run'
/opt/puppetlabs/puppet/lib/ruby/vendor_ruby/puppet/util/command_line.rb:132:in `run'
/opt/puppetlabs/puppet/lib/ruby/vendor_ruby/puppet/util/command_line.rb:72:in `execute'
/opt/puppetlabs/puppet/bin/puppet:5:in `<main>'
```

And on second try:

```

# foreman-installer --enable-foreman-proxy-plugin-ansible
/Stages[main]/Foreman::Database/Foreman::Rake[db:migrate]/Exec[foreman-rake-db:migrate]: Failed to
call refresh: '/usr/sbin/foreman-rake db:migrate' returned 1 instead of one of [0]
/Stages[main]/Foreman::Database/Foreman::Rake[db:migrate]/Exec[foreman-rake-db:migrate]: '/usr/sbi
n/foreman-rake db:migrate' returned 1 instead of one of [0]
/opt/puppetlabs/puppet/lib/ruby/vendor_ruby/puppet/util/errors.rb:106:in `fail'
/opt/puppetlabs/puppet/lib/ruby/vendor_ruby/puppet/type/exec.rb:164:in `sync'
/opt/puppetlabs/puppet/lib/ruby/vendor_ruby/puppet/type/exec.rb:603:in `refresh'
/opt/puppetlabs/puppet/lib/ruby/vendor_ruby/puppet/transaction/event_manager.rb:147:in `process_ca
llback'
/opt/puppetlabs/puppet/lib/ruby/vendor_ruby/puppet/transaction/event_manager.rb:34:in `block in pr
ocess_events'
/opt/puppetlabs/puppet/lib/ruby/vendor_ruby/puppet/transaction/event_manager.rb:119:in `block in q
ueued_events'
/opt/puppetlabs/puppet/lib/ruby/vendor_ruby/puppet/transaction/event_manager.rb:118:in `each'
/opt/puppetlabs/puppet/lib/ruby/vendor_ruby/puppet/transaction/event_manager.rb:118:in `queued_eve
nts'
/opt/puppetlabs/puppet/lib/ruby/vendor_ruby/puppet/transaction/event_manager.rb:33:in `process_eve
nts'
/opt/puppetlabs/puppet/lib/ruby/vendor_ruby/puppet/transaction.rb:268:in `eval_resource'
/opt/puppetlabs/puppet/lib/ruby/vendor_ruby/puppet/transaction.rb:179:in `call'
/opt/puppetlabs/puppet/lib/ruby/vendor_ruby/puppet/transaction.rb:179:in `block (2 levels) in eval
uate'
/opt/puppetlabs/puppet/lib/ruby/vendor_ruby/puppet/util.rb:511:in `block in thinmark'
/opt/puppetlabs/puppet/lib/ruby/2.4.0/benchmark.rb:308:in `realtime'
/opt/puppetlabs/puppet/lib/ruby/vendor_ruby/puppet/util.rb:510:in `thinmark'
/opt/puppetlabs/puppet/lib/ruby/vendor_ruby/puppet/transaction.rb:179:in `block in evaluate'
/opt/puppetlabs/puppet/lib/ruby/vendor_ruby/puppet/graph/relationship_graph.rb:121:in `traverse'
/opt/puppetlabs/puppet/lib/ruby/vendor_ruby/puppet/transaction.rb:169:in `evaluate'
/usr/lib/ruby/vendor_ruby/kafo/modules/kafo_configure/lib/puppet/parser/functions/add_progress.rb:
30:in `evaluate_with_trigger'
/opt/puppetlabs/puppet/lib/ruby/vendor_ruby/puppet/resource/catalog.rb:225:in `block in apply'
/opt/puppetlabs/puppet/lib/ruby/vendor_ruby/puppet/util/log.rb:155:in `with_destination'
/opt/puppetlabs/puppet/lib/ruby/vendor_ruby/puppet/transaction/report.rb:140:in `as_logging_destin
ation'
/opt/puppetlabs/puppet/lib/ruby/vendor_ruby/puppet/resource/catalog.rb:224:in `apply'
```

```

/opt/puppetlabs/puppet/lib/ruby/vendor_ruby/puppet/configurer.rb:172:in `block in apply_catalog'
/opt/puppetlabs/puppet/lib/ruby/vendor_ruby/puppet/util.rb:224:in `block in benchmark'
/opt/puppetlabs/puppet/lib/ruby/2.4.0/benchmark.rb:308:in `realtime'
/opt/puppetlabs/puppet/lib/ruby/vendor_ruby/puppet/util.rb:223:in `benchmark'
/opt/puppetlabs/puppet/lib/ruby/vendor_ruby/puppet/configurer.rb:171:in `apply_catalog'
/opt/puppetlabs/puppet/lib/ruby/vendor_ruby/puppet/configurer.rb:344:in `run_internal'
/opt/puppetlabs/puppet/lib/ruby/vendor_ruby/puppet/configurer.rb:222:in `block in run'
/opt/puppetlabs/puppet/lib/ruby/vendor_ruby/puppet/context.rb:65:in `override'
/opt/puppetlabs/puppet/lib/ruby/vendor_ruby/puppet.rb:263:in `override'
/opt/puppetlabs/puppet/lib/ruby/vendor_ruby/puppet/configurer.rb:196:in `run'
/opt/puppetlabs/puppet/lib/ruby/vendor_ruby/puppet/application/apply.rb:356:in `apply_catalog'
/opt/puppetlabs/puppet/lib/ruby/vendor_ruby/puppet/application/apply.rb:280:in `block (2 levels) in main'
/opt/puppetlabs/puppet/lib/ruby/vendor_ruby/puppet/context.rb:65:in `override'
/opt/puppetlabs/puppet/lib/ruby/vendor_ruby/puppet.rb:263:in `override'
/opt/puppetlabs/puppet/lib/ruby/vendor_ruby/puppet/application/apply.rb:280:in `block in main'
/opt/puppetlabs/puppet/lib/ruby/vendor_ruby/puppet/context.rb:65:in `override'
/opt/puppetlabs/puppet/lib/ruby/vendor_ruby/puppet.rb:263:in `override'
/opt/puppetlabs/puppet/lib/ruby/vendor_ruby/puppet/application/apply.rb:233:in `main'
/opt/puppetlabs/puppet/lib/ruby/vendor_ruby/puppet/application/apply.rb:174:in `run_command'
/opt/puppetlabs/puppet/lib/ruby/vendor_ruby/puppet/application.rb:358:in `block in run'
/opt/puppetlabs/puppet/lib/ruby/vendor_ruby/puppet/util.rb:666:in `exit_on_fail'
/opt/puppetlabs/puppet/lib/ruby/vendor_ruby/puppet/application.rb:358:in `run'
/opt/puppetlabs/puppet/lib/ruby/vendor_ruby/puppet/util/command_line.rb:132:in `run'
/opt/puppetlabs/puppet/lib/ruby/vendor_ruby/puppet/util/command_line.rb:72:in `execute'
/opt/puppetlabs/puppet/bin/puppet:5:in `<main>'
```

In proxy log is only this warning:

```
W, [2018-01-03T13:49:43.683044 #1410] WARN -- : Could not open DB for dynflow at '', will keep data in memory. Restart will drop all dynflow data.
```

```

~# foreman-installer --enable-foreman-plugin-ansible --enable-foreman-proxy-plugin-ansible
/Stages/main]/Foreman_proxy::Register/Foreman_smartproxy[depoyer-foreman2.example.net]: Could not evaluate: Proxy depoyer-foreman2.example.net cannot be retrieved: unknown error (response 500)
/usr/share/foreman-installer/modules/foreman/lib/puppet/provider/foreman_smartproxy/rest_v3.rb:7:in `proxy'
/usr/share/foreman-installer/modules/foreman/lib/puppet/provider/foreman_smartproxy/rest_v3.rb:13:in `id'
/usr/share/foreman-installer/modules/foreman/lib/puppet/provider/foreman_smartproxy/rest_v3.rb:17:in `exists?'
/opt/puppetlabs/puppet/lib/ruby/vendor_ruby/puppet/property/ensure.rb:81:in `retrieve'
/opt/puppetlabs/puppet/lib/ruby/vendor_ruby/puppet/type.rb:1070:in `retrieve'
/opt/puppetlabs/puppet/lib/ruby/vendor_ruby/puppet/type.rb:1098:in `retrieve_resource'
/opt/puppetlabs/puppet/lib/ruby/vendor_ruby/puppet/transaction/resource_harness.rb:302:in `from_resource'
/opt/puppetlabs/puppet/lib/ruby/vendor_ruby/puppet/transaction/resource_harness.rb:20:in `evaluate'
/opt/puppetlabs/puppet/lib/ruby/vendor_ruby/puppet/transaction.rb:248:in `apply'
/opt/puppetlabs/puppet/lib/ruby/vendor_ruby/puppet/transaction.rb:267:in `eval_resource'
/opt/puppetlabs/puppet/lib/ruby/vendor_ruby/puppet/transaction.rb:179:in `call'
/opt/puppetlabs/puppet/lib/ruby/vendor_ruby/puppet/transaction.rb:179:in `block (2 levels) in evaluate'
/opt/puppetlabs/puppet/lib/ruby/vendor_ruby/puppet/util.rb:511:in `block in thinmark'
/opt/puppetlabs/puppet/lib/ruby/2.4.0/benchmark.rb:308:in `realtime'
/opt/puppetlabs/puppet/lib/ruby/vendor_ruby/puppet/util.rb:510:in `thinmark'
/opt/puppetlabs/puppet/lib/ruby/vendor_ruby/puppet/transaction.rb:179:in `block in evaluate'
/opt/puppetlabs/puppet/lib/ruby/vendor_ruby/puppet/graph/relationship_graph.rb:121:in `traverse'
/opt/puppetlabs/puppet/lib/ruby/vendor_ruby/puppet/transaction.rb:169:in `evaluate'
/usr/lib/ruby/vendor_ruby/kafo/modules/kafo_configure/lib/puppet/parser/functions/add_progress.rb:30:in `evaluate_with_trigger'
/opt/puppetlabs/puppet/lib/ruby/vendor_ruby/puppet/resource/catalog.rb:225:in `block in apply'
/opt/puppetlabs/puppet/lib/ruby/vendor_ruby/puppet/util/log.rb:155:in `with_destination'
/opt/puppetlabs/puppet/lib/ruby/vendor_ruby/puppet/transaction/report.rb:140:in `as_logging_destination'
/opt/puppetlabs/puppet/lib/ruby/vendor_ruby/puppet/resource/catalog.rb:224:in `apply'
```

```
/opt/puppetlabs/puppet/lib/ruby/vendor_ruby/puppet/configurer.rb:172:in `block in apply_catalog'
/opt/puppetlabs/puppet/lib/ruby/vendor_ruby/puppet/util.rb:224:in `block in benchmark'
/opt/puppetlabs/puppet/lib/ruby/2.4.0/benchmark.rb:308:in `realtime'
/opt/puppetlabs/puppet/lib/ruby/vendor_ruby/puppet/util.rb:223:in `benchmark'
/opt/puppetlabs/puppet/lib/ruby/vendor_ruby/puppet/configurer.rb:171:in `apply_catalog'
/opt/puppetlabs/puppet/lib/ruby/vendor_ruby/puppet/configurer.rb:344:in `run_internal'
/opt/puppetlabs/puppet/lib/ruby/vendor_ruby/puppet/configurer.rb:222:in `block in run'
/opt/puppetlabs/puppet/lib/ruby/vendor_ruby/puppet/context.rb:65:in `override'
/opt/puppetlabs/puppet/lib/ruby/vendor_ruby/puppet.rb:263:in `override'
/opt/puppetlabs/puppet/lib/ruby/vendor_ruby/puppet/configurer.rb:196:in `run'
/opt/puppetlabs/puppet/lib/ruby/vendor_ruby/puppet/application/apply.rb:356:in `apply_catalog'
/opt/puppetlabs/puppet/lib/ruby/vendor_ruby/puppet/application/apply.rb:280:in `block (2 levels) in main'
/opt/puppetlabs/puppet/lib/ruby/vendor_ruby/puppet/context.rb:65:in `override'
/opt/puppetlabs/puppet/lib/ruby/vendor_ruby/puppet.rb:263:in `override'
/opt/puppetlabs/puppet/lib/ruby/vendor_ruby/puppet/application/apply.rb:280:in `block in main'
/opt/puppetlabs/puppet/lib/ruby/vendor_ruby/puppet/context.rb:65:in `override'
/opt/puppetlabs/puppet/lib/ruby/vendor_ruby/puppet.rb:263:in `override'
/opt/puppetlabs/puppet/lib/ruby/vendor_ruby/puppet/application/apply.rb:233:in `main'
/opt/puppetlabs/puppet/lib/ruby/vendor_ruby/puppet/application/apply.rb:174:in `run_command'
/opt/puppetlabs/puppet/lib/ruby/vendor_ruby/puppet/application.rb:358:in `block in run'
/opt/puppetlabs/puppet/lib/ruby/vendor_ruby/puppet/util.rb:666:in `exit_on_fail'
/opt/puppetlabs/puppet/lib/ruby/vendor_ruby/puppet/application.rb:358:in `run'
/opt/puppetlabs/puppet/lib/ruby/vendor_ruby/puppet/util/command_line.rb:132:in `run'
/opt/puppetlabs/puppet/lib/ruby/vendor_ruby/puppet/util/command_line.rb:72:in `execute'
/opt/puppetlabs/puppet/bin/puppet:5:in `<main>'

/Stage[main]/Foreman_proxy::Register[foreman_smartproxy[depoyer-foreman2.example.net]]: Failed to call refresh: Proxy depoyer-foreman2.example.net cannot be retrieved: unknown error (response 500)
/Stage[main]/Foreman_proxy::Register[foreman_smartproxy[depoyer-foreman2.example.net]]: Proxy depoyer-foreman2.example.net cannot be retrieved: unknown error (response 500)
/usr/share/foreman-installer/modules/foreman/lib/puppet/provider/foreman_smartproxy/rest_v3.rb:7:in `proxy'
/usr/share/foreman-installer/modules/foreman/lib/puppet/provider/foreman_smartproxy/rest_v3.rb:13:in `id'
/usr/share/foreman-installer/modules/foreman/lib/puppet/provider/foreman_smartproxy/rest_v3.rb:17:in `exists?'
/opt/puppetlabs/puppet/lib/ruby/vendor_ruby/puppet/property/ensure.rb:81:in `retrieve'
/usr/share/foreman-installer/modules/foreman/lib/puppet/type/foreman_smartproxy.rb:72:in `refresh'
/opt/puppetlabs/puppet/lib/ruby/vendor_ruby/puppet/transaction/event_manager.rb:147:in `process_callback'
/opt/puppetlabs/puppet/lib/ruby/vendor_ruby/puppet/transaction/event_manager.rb:34:in `block in process_events'
/opt/puppetlabs/puppet/lib/ruby/vendor_ruby/puppet/transaction/event_manager.rb:119:in `block in queued_events'
/opt/puppetlabs/puppet/lib/ruby/vendor_ruby/puppet/transaction/event_manager.rb:118:in `each'
/opt/puppetlabs/puppet/lib/ruby/vendor_ruby/puppet/transaction/event_manager.rb:118:in `queued_events'
/opt/puppetlabs/puppet/lib/ruby/vendor_ruby/puppet/transaction/event_manager.rb:33:in `process_events'
/opt/puppetlabs/puppet/lib/ruby/vendor_ruby/puppet/transaction.rb:268:in `eval_resource'
/opt/puppetlabs/puppet/lib/ruby/vendor_ruby/puppet/transaction.rb:179:in `call'
/opt/puppetlabs/puppet/lib/ruby/vendor_ruby/puppet/transaction.rb:179:in `block (2 levels) in evaluate'
/opt/puppetlabs/puppet/lib/ruby/vendor_ruby/puppet/util.rb:511:in `block in thinmark'
/opt/puppetlabs/puppet/lib/ruby/2.4.0/benchmark.rb:308:in `realtime'
/opt/puppetlabs/puppet/lib/ruby/vendor_ruby/puppet/util.rb:510:in `thinmark'
/opt/puppetlabs/puppet/lib/ruby/vendor_ruby/puppet/transaction.rb:179:in `block in evaluate'
/opt/puppetlabs/puppet/lib/ruby/vendor_ruby/puppet/graph/relationship_graph.rb:121:in `traverse'
/opt/puppetlabs/puppet/lib/ruby/vendor_ruby/puppet/transaction.rb:169:in `evaluate'
/usr/lib/ruby/vendor_ruby/kafo/modules/kafo_configure/lib/puppet/parser/functions/add_progress.rb:30:in `evaluate_with_trigger'
/opt/puppetlabs/puppet/lib/ruby/vendor_ruby/puppet/resource/catalog.rb:225:in `block in apply'
/opt/puppetlabs/puppet/lib/ruby/vendor_ruby/puppet/util/log.rb:155:in `with_destination'
/opt/puppetlabs/puppet/lib/ruby/vendor_ruby/puppet/transaction/report.rb:140:in `as_logging_destination'
/opt/puppetlabs/puppet/lib/ruby/vendor_ruby/puppet/resource/catalog.rb:224:in `apply'
/opt/puppetlabs/puppet/lib/ruby/vendor_ruby/puppet/configurer.rb:172:in `block in apply_catalog'
```

```
/opt/puppetlabs/puppet/lib/ruby/vendor_ruby/puppet/util.rb:224:in `block in benchmark'  
/opt/puppetlabs/puppet/lib/ruby/2.4.0/benchmark.rb:308:in `realtime'  
/opt/puppetlabs/puppet/lib/ruby/vendor_ruby/puppet/util.rb:223:in `benchmark'  
/opt/puppetlabs/puppet/lib/ruby/vendor_ruby/puppet/configurer.rb:171:in `apply_catalog'  
/opt/puppetlabs/puppet/lib/ruby/vendor_ruby/puppet/configurer.rb:344:in `run_internal'  
/opt/puppetlabs/puppet/lib/ruby/vendor_ruby/puppet/configurer.rb:222:in `block in run'  
/opt/puppetlabs/puppet/lib/ruby/vendor_ruby/puppet/context.rb:65:in `override'  
/opt/puppetlabs/puppet/lib/ruby/vendor_ruby/puppet.rb:263:in `override'  
/opt/puppetlabs/puppet/lib/ruby/vendor_ruby/puppet/configurer.rb:196:in `run'  
/opt/puppetlabs/puppet/lib/ruby/vendor_ruby/puppet/application/apply.rb:356:in `apply_catalog'  
/opt/puppetlabs/puppet/lib/ruby/vendor_ruby/puppet/application/apply.rb:280:in `block (2 levels) in main'  
/opt/puppetlabs/puppet/lib/ruby/vendor_ruby/puppet/context.rb:65:in `override'  
/opt/puppetlabs/puppet/lib/ruby/vendor_ruby/puppet.rb:263:in `override'  
/opt/puppetlabs/puppet/lib/ruby/vendor_ruby/puppet/application/apply.rb:280:in `block in main'  
/opt/puppetlabs/puppet/lib/ruby/vendor_ruby/puppet/context.rb:65:in `override'  
/opt/puppetlabs/puppet/lib/ruby/vendor_ruby/puppet.rb:263:in `override'  
/opt/puppetlabs/puppet/lib/ruby/vendor_ruby/puppet/application/apply.rb:233:in `main'  
/opt/puppetlabs/puppet/lib/ruby/vendor_ruby/puppet/application/apply.rb:174:in `run_command'  
/opt/puppetlabs/puppet/lib/ruby/vendor_ruby/puppet/application.rb:358:in `block in run'  
/opt/puppetlabs/puppet/lib/ruby/vendor_ruby/puppet/util.rb:666:in `exit_on_fail'  
/opt/puppetlabs/puppet/lib/ruby/vendor_ruby/puppet/application.rb:358:in `run'  
/opt/puppetlabs/puppet/lib/ruby/vendor_ruby/puppet/util/command_line.rb:132:in `run'  
/opt/puppetlabs/puppet/lib/ruby/vendor_ruby/puppet/util/command_line.rb:72:in `execute'  
/opt/puppetlabs/puppet/bin/puppet:5:in `<main>'
```

Related issues:

Related to Packaging - Bug #20050: ruby-sequel-pg DEB pollutes Foreman ruby g...

Closed

06/19/2017

History

#1 - 01/04/2018 04:35 PM - Anonymous

- Related to Bug #20050: ruby-sequel-pg DEB pollutes Foreman ruby gem environment added

#2 - 01/04/2018 04:36 PM - Anonymous

- Project changed from Discovery to Installer
- Priority changed from High to Normal

- I'll look into the first issue.

- the second one is [#20050](#) and friends

#3 - 07/22/2019 03:53 PM - Ewoud Kohl van Wijngaarden

- Found in Releases 1.16.0 added

Any news on this? Foreman 1.16.0 is very old and it's likely not reproducible anymore.

#4 - 05/02/2020 11:27 AM - Anonymous

- Status changed from New to Resolved