Installer - Feature #24415

[RFE] allow configuration of helloMaxAge and helloInterval

07/26/2018 08:24 PM - Chris Roberts

Status: Resolved

Priority: Normal

Chris Roberts Assignee: Foreman modules Category:

Target version:

Difficulty: **Fixed in Releases:** easy Triaged: No Found in Releases: Red Hat JIRA:

Pull request: https://github.com/theforeman/puppet-api

d/pull/98

1578470

Description

Bugzilla link:

Right now, the qdrouterd "helloInterval" and "helloMaxAge" settings are set to 1 sec and 3 sec by default. This can cause issues on networks with sporadic issues, or if a system pauses temporarily (for example, migrating a VM running a capsule to a new hypervisor). Qdrouterd will eventually reconnect but it may make multiple attempts while waiting for network issues to resolve. In short, adrouterd on Satellite installations is overly sensitive to network blips by default, given that katello-agent commands sent via ampp are not extremely time sensitive.

These settings can be changed in adrouterd.conf, but it requires manual editing of the config file, and must be reapplied after the installer runs.

This bug has two parts:

- allow helloInterval and helloMaxAge to be configured via custom-hiera.yaml
- investigate if we should bump helloInterval and helloMaxAge to a higher default in Satellite. The default "accept timeout" for katello-agent in the satellite settings page is 20 seconds, so perhaps helloMaxAge of 15 is a good number to allow adrouterd to drop and reconnect at least once.

https://access.redhat.com/solutions/3440201 has more info on this.

Version-Release number of selected component (if applicable): 6.3.1

Steps to Reproduce:

- 1. run satellite with one capsule on a VM
- 2. pause and unpause VM quickly, or suspend/unsuspend gdrouterd process
- 3. check if adrouterd connection was dropped

Actual results:

adrouterd connection dropped

Expected results:

qdrouterd connection not dropped

Associated revisions

Revision 54cffbe9 - 07/27/2018 01:51 PM - Chris Roberts

Fixes #24415 - Add hello interval/max_age params to qdrouterd.

History

#1 - 07/26/2018 08:28 PM - Chris Roberts

Until there are hiera configurable parameters, follow this KCS:

https://access.redhat.com/solutions/3440201

1/2 05/21/2024

#2 - 07/26/2018 08:32 PM - Chris Roberts

- Status changed from New to Ready For Testing

#3 - 07/27/2018 04:23 PM - Chris Roberts

- Status changed from Ready For Testing to Resolved
- Pull request https://github.com/theforeman/puppet-qpid/pull/98 added

05/21/2024 2/2