## Installer - Bug #2629

## Enable gpgcheck on yum repos

06/07/2013 04:46 AM - Dominic Cleal

Status:	Closed	
Priority:	Normal	
Assignee:		
Category:		
Target version:	1.2.0	
Difficulty:		Fixed in Releases:
Triaged:		Found in Releases:

Red Hat JIRA:

Bugzilla link: Pull request:

### Description

The 1.2 RC and release repos will be GPG signed, so yum repos should be configured in the puppet modules with gpgcheck=1 and the GPG key correctly configured to the HTTP URL. The foreman-release RPM already configures this for the GPG key on disk, but a user who doesn't get foreman-release first won't have this file.

1.1 and nightly RPMs won't be signed, so we should have a way of disabling this.

#### Related issues:

Related to Packaging - Feature #2106: Sign RPM Packages with GPG Key

Closed 01/04/2013

#### **Associated revisions**

### Revision fc9960ad - 06/13/2013 11:50 AM - Dmitri Dolguikh

fixes #2629 - gpgcheck is now enabled on rc and stable repositories

### **History**

## #1 - 06/11/2013 06:06 AM - Anonymous

- Status changed from New to Assigned
- Assignee set to Anonymous

# #2 - 06/13/2013 08:19 AM - Anonymous

- Status changed from Assigned to Ready For Testing

PR: https://github.com/theforeman/puppet-foreman/pull/80

#### #3 - 06/13/2013 01:19 PM - Dominic Cleal

- Status changed from Ready For Testing to Closed
- % Done changed from 0 to 100

### #4 - 07/10/2018 02:44 PM - Greg Sutcliffe

- Target version deleted (1.2.0)

05/21/2024 1/1