

Foreman - Support #26430

Safemode doesn't allow to access 'host_subnet' on #<Safemode::ScopeObject>

03/21/2019 03:13 PM - Stefan Eriksson

Status: Closed	
Priority: Normal	
Assignee:	
Category: Unattended installations	
Target version:	
Triaged: No	Found in Releases: 1.21.0
Fixed in Releases:	
Description	
<p>Hi I'm trying to create a finish template that statically adds ip in the interfaces file rather than dhcp.</p> <p>But when I preview the below I get Safemode doesn't allow to access 'host_subnet' on #<Safemode::ScopeObject></p> <pre>real=`ip -o link awk '/<%= @host.mac -%>/ {print \$2;}' sed s/://` cat << EOF > /etc/network/interfaces #loopback auto lo iface lo inet loopback auto \$real allow-hotplug \$real iface \$real inet static address <%= @host.ip %> dns-search <%= @host.domain %> gateway <%= host_subnet.gateway %> netmask <%= host_subnet.mask %> dns-nameservers <%= host_subnet.dns_primary %> <%= host_subnet.dns_secondary %> EOF</pre> <p>what should I change to get the subnet gateway/netmast?</p> <p>Thanks</p>	

History

#1 - 03/22/2019 10:04 AM - Lukas Zapletal

- Status changed from New to Closed

Hello, host_subnet seems to be undefined variable. Do you want to use \@host.subnet instead?

```
@host.subnet.xxxx
```

Please use our community forum for questions.