

Installer - Feature #27264

Make ansible depend on 'ansible-runner' package

07/10/2019 03:17 PM - Ondřej Ezr

Status:	Closed	
Priority:	Normal	
Assignee:	Ondřej Ezr	
Category:	Foreman modules	
Target version:		
Difficulty:		Fixed in Releases: 1.23.0
Triaged:	No	Found in Releases:
Bugzilla link:		Red Hat JIRA:
Pull request:	https://github.com/theforeman/puppet-for-eman_proxy/pull/515	
Description		
To enable ansible-runner implementation being an default option, we need to depend on the 'ansible-runner' package. For now, we need to depend on third party repository for that.		

Associated revisions

Revision fe035de6 - 07/29/2019 04:40 PM - Ondřej Ezr

Fixes #27264 - Install ansible-runner package when installing ansible

This installs ansible-runner by default when installing the Foreman Proxy Ansible plugin. Because it's not in EPEL or Debian, additional repositories are enabled. For users who sync repositories, there's a switch to disable those. Since it's all optional, there's also a switch to disable the installation altogether.

History

#1 - 07/10/2019 03:17 PM - Ondřej Ezr

- Category set to Foreman modules

#2 - 07/10/2019 03:21 PM - The Foreman Bot

- Status changed from New to Ready For Testing

- Pull request https://github.com/theforeman/puppet-foreman_proxy/pull/515 added

#3 - 07/29/2019 04:40 PM - The Foreman Bot

- Fixed in Releases 1.23.0 added

#4 - 07/29/2019 05:01 PM - Anonymous

- Status changed from Ready For Testing to Closed

Applied in changeset [puppet-foreman_proxy\[fe035de6d6b43feab749c103369ca6dfa7570652\]](#).