

Installer - Bug #27987

Gem::ConflictError: Unable to activate responders-2.3.0

10/02/2019 10:43 AM - Raul Gonzalez

Status:	Resolved	
Priority:	Normal	
Assignee:		
Category:	foreman-installer script	
Target version:		
Difficulty:		Fixed in Releases:
Triaged:	No	Found in Releases:
Bugzilla link:		Red Hat JIRA:
Pull request:		

Description

I'm trying to install a fresh new foreman in Centos 7.7 but I got this error message: "Failed to call refresh: '/usr/sbin/foreman-rake db:migrate' returned 1 instead of one of [0]".

In '/var/log/foreman-installer/foreman.log' I got errors about version conflict. Anyone knows how to fix it?

```
[ERROR 2019-10-02 12:24:48 main] Errors encountered during run:
[ERROR 2019-10-02 12:24:48 main] /Stage[main]/Foreman::Database/Foreman::Rake[db:migrate]/Exec[foreman-rake-db:migrate]:
Failed to call refresh: '/usr/sbin/foreman-rake db:migrate' returned 1 instead of one of [0]
[ERROR 2019-10-02 12:24:48 main] /Stage[main]/Foreman::Database/Foreman::Rake[db:migrate]/Exec[foreman-rake-db:migrate]:
'/usr/sbin/foreman-rake db:migrate' returned 1 instead of one of [0]
[ERROR 2019-10-02 12:24:48 main] /opt/puppetlabs/puppet/lib/ruby/vendor_ruby/puppet/util/errors.rb:157:in `fail'
[ERROR 2019-10-02 12:24:48 main] /opt/puppetlabs/puppet/lib/ruby/vendor_ruby/puppet/type/exec.rb:164:in `sync'
[ERROR 2019-10-02 12:24:48 main] /opt/puppetlabs/puppet/lib/ruby/vendor_ruby/puppet/type/exec.rb:614:in `refresh'
[ERROR 2019-10-02 12:24:48 main] /opt/puppetlabs/puppet/lib/ruby/vendor_ruby/puppet/transaction/event_manager.rb:147:in
`process_callback'
[ERROR 2019-10-02 12:24:48 main] /opt/puppetlabs/puppet/lib/ruby/vendor_ruby/puppet/transaction/event_manager.rb:34:in `block
in process_events'
[ERROR 2019-10-02 12:24:48 main] /opt/puppetlabs/puppet/lib/ruby/vendor_ruby/puppet/transaction/event_manager.rb:119:in `block
in queued_events'
[ERROR 2019-10-02 12:24:48 main] /opt/puppetlabs/puppet/lib/ruby/vendor_ruby/puppet/transaction/event_manager.rb:118:in `each'
[ERROR 2019-10-02 12:24:48 main] /opt/puppetlabs/puppet/lib/ruby/vendor_ruby/puppet/transaction/event_manager.rb:118:in
`queued_events'
[ERROR 2019-10-02 12:24:48 main] /opt/puppetlabs/puppet/lib/ruby/vendor_ruby/puppet/transaction/event_manager.rb:33:in
`process_events'
[ERROR 2019-10-02 12:24:48 main] /opt/puppetlabs/puppet/lib/ruby/vendor_ruby/puppet/transaction.rb:280:in `eval_resource'
[ERROR 2019-10-02 12:24:48 main] /opt/puppetlabs/puppet/lib/ruby/vendor_ruby/puppet/transaction.rb:183:in `call'
[ERROR 2019-10-02 12:24:48 main] /opt/puppetlabs/puppet/lib/ruby/vendor_ruby/puppet/transaction.rb:183:in `block (2 levels) in
evaluate'
[ERROR 2019-10-02 12:24:48 main] /opt/puppetlabs/puppet/lib/ruby/vendor_ruby/puppet/util.rb:519:in `block in thinmark'
[ERROR 2019-10-02 12:24:48 main] /opt/puppetlabs/puppet/lib/ruby/2.4.0/benchmark.rb:308:in `realtime'
[ERROR 2019-10-02 12:24:48 main] /opt/puppetlabs/puppet/lib/ruby/vendor_ruby/puppet/util.rb:518:in `thinmark'
[ERROR 2019-10-02 12:24:48 main] /opt/puppetlabs/puppet/lib/ruby/vendor_ruby/puppet/transaction.rb:183:in `block in evaluate'
[ERROR 2019-10-02 12:24:48 main] /opt/puppetlabs/puppet/lib/ruby/vendor_ruby/puppet/graph/relationship_graph.rb:121:in
`traverse'
[ERROR 2019-10-02 12:24:48 main] /opt/puppetlabs/puppet/lib/ruby/vendor_ruby/puppet/transaction.rb:173:in `evaluate'
[ERROR 2019-10-02 12:24:48 main]
/usr/share/gems/gems/kafo-3.0.0/modules/kafo_configure/lib/puppet/parser/functions/add_progress.rb:30:in `evaluate_with_trigger'
[ERROR 2019-10-02 12:24:48 main] /opt/puppetlabs/puppet/lib/ruby/vendor_ruby/puppet/resource/catalog.rb:239:in `block (2 levels)
in apply'
[ERROR 2019-10-02 12:24:48 main] /opt/puppetlabs/puppet/lib/ruby/vendor_ruby/puppet/util.rb:519:in `block in thinmark'
[ERROR 2019-10-02 12:24:48 main] /opt/puppetlabs/puppet/lib/ruby/2.4.0/benchmark.rb:308:in `realtime'
[ERROR 2019-10-02 12:24:48 main] /opt/puppetlabs/puppet/lib/ruby/vendor_ruby/puppet/util.rb:518:in `thinmark'
[ERROR 2019-10-02 12:24:48 main] /opt/puppetlabs/puppet/lib/ruby/vendor_ruby/puppet/resource/catalog.rb:238:in `block in apply'
[ERROR 2019-10-02 12:24:48 main] /opt/puppetlabs/puppet/lib/ruby/vendor_ruby/puppet/util/log.rb:161:in `with_destination'
[ERROR 2019-10-02 12:24:48 main] /opt/puppetlabs/puppet/lib/ruby/vendor_ruby/puppet/transaction/report.rb:146:in
`as_logging_destination'
[ERROR 2019-10-02 12:24:48 main] /opt/puppetlabs/puppet/lib/ruby/vendor_ruby/puppet/resource/catalog.rb:237:in `apply'
[ERROR 2019-10-02 12:24:48 main] /opt/puppetlabs/puppet/lib/ruby/vendor_ruby/puppet/configurer.rb:186:in `block (2 levels) in
```

```

apply_catalog'
[ERROR 2019-10-02 12:24:48 main] /opt/puppetlabs/puppet/lib/ruby/vendor_ruby/puppet/util.rb:519:in `block in thinmark'
[ERROR 2019-10-02 12:24:48 main] /opt/puppetlabs/puppet/lib/ruby/2.4.0/benchmark.rb:308:in `realtime'
[ERROR 2019-10-02 12:24:48 main] /opt/puppetlabs/puppet/lib/ruby/vendor_ruby/puppet/util.rb:518:in `thinmark'
[ERROR 2019-10-02 12:24:48 main] /opt/puppetlabs/puppet/lib/ruby/vendor_ruby/puppet/configurer.rb:185:in `block in apply_catalog'
[ERROR 2019-10-02 12:24:48 main] /opt/puppetlabs/puppet/lib/ruby/vendor_ruby/puppet/util.rb:232:in `block in benchmark'
[ERROR 2019-10-02 12:24:48 main] /opt/puppetlabs/puppet/lib/ruby/2.4.0/benchmark.rb:308:in `realtime'
[ERROR 2019-10-02 12:24:48 main] /opt/puppetlabs/puppet/lib/ruby/vendor_ruby/puppet/util.rb:231:in `benchmark'
[ERROR 2019-10-02 12:24:48 main] /opt/puppetlabs/puppet/lib/ruby/vendor_ruby/puppet/configurer.rb:184:in `apply_catalog'
[ERROR 2019-10-02 12:24:48 main] /opt/puppetlabs/puppet/lib/ruby/vendor_ruby/puppet/configurer.rb:366:in `run_internal'
[ERROR 2019-10-02 12:24:48 main] /opt/puppetlabs/puppet/lib/ruby/vendor_ruby/puppet/configurer.rb:234:in `block in run'
[ERROR 2019-10-02 12:24:48 main] /opt/puppetlabs/puppet/lib/ruby/vendor_ruby/puppet/context.rb:65:in `override'
[ERROR 2019-10-02 12:24:48 main] /opt/puppetlabs/puppet/lib/ruby/vendor_ruby/puppet.rb:260:in `override'
[ERROR 2019-10-02 12:24:48 main] /opt/puppetlabs/puppet/lib/ruby/vendor_ruby/puppet/configurer.rb:211:in `run'
[ERROR 2019-10-02 12:24:48 main] /opt/puppetlabs/puppet/lib/ruby/vendor_ruby/puppet/application/apply.rb:355:in `apply_catalog'
[ERROR 2019-10-02 12:24:48 main] /opt/puppetlabs/puppet/lib/ruby/vendor_ruby/puppet/application/apply.rb:280:in `block (2 levels)
in main'
[ERROR 2019-10-02 12:24:48 main] /opt/puppetlabs/puppet/lib/ruby/vendor_ruby/puppet/context.rb:65:in `override'
[ERROR 2019-10-02 12:24:48 main] /opt/puppetlabs/puppet/lib/ruby/vendor_ruby/puppet.rb:260:in `override'
[ERROR 2019-10-02 12:24:48 main] /opt/puppetlabs/puppet/lib/ruby/vendor_ruby/puppet/application/apply.rb:280:in `block in main'
[ERROR 2019-10-02 12:24:48 main] /opt/puppetlabs/puppet/lib/ruby/vendor_ruby/puppet/context.rb:65:in `override'
[ERROR 2019-10-02 12:24:48 main] /opt/puppetlabs/puppet/lib/ruby/vendor_ruby/puppet.rb:260:in `override'
[ERROR 2019-10-02 12:24:48 main] /opt/puppetlabs/puppet/lib/ruby/vendor_ruby/puppet/application/apply.rb:233:in `main'
[ERROR 2019-10-02 12:24:48 main] /opt/puppetlabs/puppet/lib/ruby/vendor_ruby/puppet/application/apply.rb:174:in `run_command'
[ERROR 2019-10-02 12:24:48 main] /opt/puppetlabs/puppet/lib/ruby/vendor_ruby/puppet/application.rb:375:in `block in run'
[ERROR 2019-10-02 12:24:48 main] /opt/puppetlabs/puppet/lib/ruby/vendor_ruby/puppet/util.rb:667:in `exit_on_fail'
[ERROR 2019-10-02 12:24:48 main] /opt/puppetlabs/puppet/lib/ruby/vendor_ruby/puppet/application.rb:375:in `run'
[ERROR 2019-10-02 12:24:48 main] /opt/puppetlabs/puppet/lib/ruby/vendor_ruby/puppet/util/command_line.rb:139:in `run'
[ERROR 2019-10-02 12:24:48 main] /opt/puppetlabs/puppet/lib/ruby/vendor_ruby/puppet/util/command_line.rb:77:in `execute'
[ERROR 2019-10-02 12:24:48 main] /opt/puppetlabs/puppet/bin/puppet:5:in `'

```

I try to configure foreman in cluster like in

'<https://deviantony.wordpress.com/2014/06/21/setup-a-scalable-puppet-environment-with-foreman-on-ubuntu-12-04/>' but adapting some parameter for centos 7.7 and new version of puppet and foreman with postgresql instead mysql.

I called foreman-installer with this parameters:

```

foreman-installer --no-enable-puppet --no-enable-foreman-plugin-bootdisk --no-enable-foreman-proxy
--foreman-server-ssl-ca=/etc/puppetlabs/puppet/ssl/certs/ca.pem --foreman-server-ssl-chain=/etc/puppetlabs/puppet/ssl/certs/ca.pem
--foreman-server-ssl-cert=/etc/puppetlabs/puppet/ssl/certs/foreman.acens.net.pem
--foreman-server-ssl-key=/etc/puppetlabs/puppet/ssl/private_keys/foreman.acens.net.pem

```

History

#1 - 10/02/2019 03:43 PM - Raul Gonzalez

After update several packages error erros has changed:

```

[DEBUG 2019-10-02T17:35:42 main] Executing with uid=foreman: '/usr/sbin/foreman-rake db:seed'
[ WARN 2019-10-02T17:35:54 main] /Stage[main]/Foreman::Database/Foreman::Rake[db:seed]/Exec[foreman-rake-db:seed]/returns: rake aborted!
[ WARN 2019-10-02T17:35:54 main] /Stage[main]/Foreman::Database/Foreman::Rake[db:seed]/Exec[foreman-rake-db:seed]/returns:
ActiveRecord::SubclassNotFound: The single-table inheritance mechanism failed to locate the subclass: 'JobTemplate'. This error is raised because
the column 'type' is reserved for storing the class in case of inheritance. Please rename this column if you didn't intend it to be used for storing the
inheritance class or overwrite Template.inheritance_column to use another column for that information.
[ WARN 2019-10-02T17:35:54 main] /Stage[main]/Foreman::Database/Foreman::Rake[db:seed]/Exec[foreman-rake-db:seed]/returns:
/opt/theforeman/tfm-ror52/root/usr/share/gems/gems/activerecord-5.2.1/lib/active_record/inheritance.rb:226:in `rescue in find sti class'
[ WARN 2019-10-02T17:35:54 main] /Stage[main]/Foreman::Database/Foreman::Rake[db:seed]/Exec[foreman-rake-db:seed]/returns:
/opt/theforeman/tfm-ror52/root/usr/share/gems/gems/activerecord-5.2.1/lib/active_record/inheritance.rb:219:in `find sti class'
[ WARN 2019-10-02T17:35:54 main] /Stage[main]/Foreman::Database/Foreman::Rake[db:seed]/Exec[foreman-rake-db:seed]/returns:
/opt/theforeman/tfm-ror52/root/usr/share/gems/gems/activerecord-5.2.1/lib/active_record/inheritance.rb:207:in `discriminate_class_for_record'
[ WARN 2019-10-02T17:35:54 main] /Stage[main]/Foreman::Database/Foreman::Rake[db:seed]/Exec[foreman-rake-db:seed]/returns:
/opt/theforeman/tfm-ror52/root/usr/share/gems/gems/activerecord-5.2.1/lib/active_record/persistence.rb:69:in `instantiate'
[ WARN 2019-10-02T17:35:54 main] /Stage[main]/Foreman::Database/Foreman::Rake[db:seed]/Exec[foreman-rake-db:seed]/returns:
/opt/theforeman/tfm-ror52/root/usr/share/gems/gems/activerecord-5.2.1/lib/active_record/querying.rb:52:in `block (2 levels) in find_by_sql'
[ WARN 2019-10-02T17:35:54 main] /Stage[main]/Foreman::Database/Foreman::Rake[db:seed]/Exec[foreman-rake-db:seed]/returns:
/opt/theforeman/tfm-ror52/root/usr/share/gems/gems/activerecord-5.2.1/lib/active_record/result.rb:57:in `block in each'
[ WARN 2019-10-02T17:35:54 main] /Stage[main]/Foreman::Database/Foreman::Rake[db:seed]/Exec[foreman-rake-db:seed]/returns:
/opt/theforeman/tfm-ror52/root/usr/share/gems/gems/activerecord-5.2.1/lib/active_record/result.rb:57:in `each'
[ WARN 2019-10-02T17:35:54 main] /Stage[main]/Foreman::Database/Foreman::Rake[db:seed]/Exec[foreman-rake-db:seed]/returns:
/opt/theforeman/tfm-ror52/root/usr/share/gems/gems/activerecord-5.2.1/lib/active_record/result.rb:57:in `each'
[ WARN 2019-10-02T17:35:54 main] /Stage[main]/Foreman::Database/Foreman::Rake[db:seed]/Exec[foreman-rake-db:seed]/returns:

```



```
=> db:seed
[ WARN 2019-10-02T17:35:54 main] /Stage[main]/Foreman::Database/Foreman::Rake[db:seed]/Exec[foreman-rake-db:seed]/returns: (See full trace
by running task with --trace)
[ WARN 2019-10-02T17:35:54 main] /Stage[main]/Foreman::Database/Foreman::Rake[db:seed]/Exec[foreman-rake-db:seed]/returns: API controllers
newer than Apipie cache! Run apipie:cache rake task to regenerate cache.
[ WARN 2019-10-02T17:35:54 main] /Stage[main]/Foreman::Database/Foreman::Rake[db:seed]/Exec[foreman-rake-db:seed]/returns: Seeding
/usr/share/foreman/db/seeds.d/010-calibrate_bcrypt_cost.rb
[ WARN 2019-10-02T17:35:54 main] /Stage[main]/Foreman::Database/Foreman::Rake[db:seed]/Exec[foreman-rake-db:seed]/returns: Seeding
/usr/share/foreman/db/seeds.d/020-permissions_list.rb
[ WARN 2019-10-02T17:35:54 main] /Stage[main]/Foreman::Database/Foreman::Rake[db:seed]/Exec[foreman-rake-db:seed]/returns: Seeding
/usr/share/foreman/db/seeds.d/020-roles_list.rb
[ WARN 2019-10-02T17:35:54 main] /Stage[main]/Foreman::Database/Foreman::Rake[db:seed]/Exec[foreman-rake-db:seed]/returns: Seeding
/usr/share/foreman/db/seeds.d/030-auth_sources.rb
[ WARN 2019-10-02T17:35:54 main] /Stage[main]/Foreman::Database/Foreman::Rake[db:seed]/Exec[foreman-rake-db:seed]/returns: Seeding
/usr/share/foreman/db/seeds.d/030-permissions.rb
[ WARN 2019-10-02T17:35:54 main] /Stage[main]/Foreman::Database/Foreman::Rake[db:seed]/Exec[foreman-rake-db:seed]/returns: Seeding
/usr/share/foreman/db/seeds.d/035-admin.rb
[ WARN 2019-10-02T17:35:54 main] /Stage[main]/Foreman::Database/Foreman::Rake[db:seed]/Exec[foreman-rake-db:seed]/returns: Seeding
/usr/share/foreman/db/seeds.d/040-roles.rb
[ WARN 2019-10-02T17:35:54 main] /Stage[main]/Foreman::Database/Foreman::Rake[db:seed]/Exec[foreman-rake-db:seed]/returns: Seeding
/usr/share/foreman/db/seeds.d/050-taxonomies.rb
[ERROR 2019-10-02T17:35:54 main] /Stage[main]/Foreman::Database/Foreman::Rake[db:seed]/Exec[foreman-rake-db:seed]: Failed to call refresh:
'/usr/sbin/foreman-rake db:seed' returned 1 instead of one of [0]
[ERROR 2019-10-02T17:35:54 main] /Stage[main]/Foreman::Database/Foreman::Rake[db:seed]/Exec[foreman-rake-db:seed]:
'/usr/sbin/foreman-rake db:seed' returned 1 instead of one of [0]
[ERROR 2019-10-02T17:35:54 main] /opt/puppetlabs/puppet/lib/ruby/vendor_ruby/puppet/util/errors.rb:157:in `fail'
[ERROR 2019-10-02T17:35:54 main] /opt/puppetlabs/puppet/lib/ruby/vendor_ruby/puppet/type/exec.rb:164:in `sync'
[ERROR 2019-10-02T17:35:54 main] /opt/puppetlabs/puppet/lib/ruby/vendor_ruby/puppet/type/exec.rb:614:in `refresh'
[ERROR 2019-10-02T17:35:54 main] /opt/puppetlabs/puppet/lib/ruby/vendor_ruby/puppet/transaction/event_manager.rb:147:in `process_callback'
[ERROR 2019-10-02T17:35:54 main] /opt/puppetlabs/puppet/lib/ruby/vendor_ruby/puppet/transaction/event_manager.rb:34:in `block in
process_events'
[ERROR 2019-10-02T17:35:54 main] /opt/puppetlabs/puppet/lib/ruby/vendor_ruby/puppet/transaction/event_manager.rb:119:in `block in
queued_events'
[ERROR 2019-10-02T17:35:54 main] /opt/puppetlabs/puppet/lib/ruby/vendor_ruby/puppet/transaction/event_manager.rb:118:in `each'
[ERROR 2019-10-02T17:35:54 main] /opt/puppetlabs/puppet/lib/ruby/vendor_ruby/puppet/transaction/event_manager.rb:118:in `queued_events'
[ERROR 2019-10-02T17:35:54 main] /opt/puppetlabs/puppet/lib/ruby/vendor_ruby/puppet/transaction/event_manager.rb:33:in `process_events'
[ERROR 2019-10-02T17:35:54 main] /opt/puppetlabs/puppet/lib/ruby/vendor_ruby/puppet/transaction.rb:280:in `eval_resource'
[ERROR 2019-10-02T17:35:54 main] /opt/puppetlabs/puppet/lib/ruby/vendor_ruby/puppet/transaction.rb:183:in `call'
[ERROR 2019-10-02T17:35:54 main] /opt/puppetlabs/puppet/lib/ruby/vendor_ruby/puppet/transaction.rb:183:in `block (2 levels) in evaluate'
[ERROR 2019-10-02T17:35:54 main] /opt/puppetlabs/puppet/lib/ruby/vendor_ruby/puppet/util.rb:519:in `block in thinmark'
[ERROR 2019-10-02T17:35:54 main] /opt/puppetlabs/puppet/lib/ruby/2.4.0/benchmark.rb:308:in `realtime'
[ERROR 2019-10-02T17:35:54 main] /opt/puppetlabs/puppet/lib/ruby/vendor_ruby/puppet/util.rb:518:in `thinmark'
[ERROR 2019-10-02T17:35:54 main] /opt/puppetlabs/puppet/lib/ruby/vendor_ruby/puppet/transaction.rb:183:in `block in evaluate'
[ERROR 2019-10-02T17:35:54 main] /opt/puppetlabs/puppet/lib/ruby/vendor_ruby/puppet/graph/relationship_graph.rb:121:in `traverse'
[ERROR 2019-10-02T17:35:54 main] /opt/puppetlabs/puppet/lib/ruby/vendor_ruby/puppet/transaction.rb:173:in `evaluate'
[ERROR 2019-10-02T17:35:54 main] /usr/share/gems/gems/kafo-3.0.0/modules/kafo_configure/lib/puppet/parser/functions/add_progress.rb:30:in
`evaluate_with_trigger'
[ERROR 2019-10-02T17:35:54 main] /opt/puppetlabs/puppet/lib/ruby/vendor_ruby/puppet/resource/catalog.rb:239:in `block (2 levels) in apply'
[ERROR 2019-10-02T17:35:54 main] /opt/puppetlabs/puppet/lib/ruby/vendor_ruby/puppet/util.rb:519:in `block in thinmark'
[ERROR 2019-10-02T17:35:54 main] /opt/puppetlabs/puppet/lib/ruby/2.4.0/benchmark.rb:308:in `realtime'
[ERROR 2019-10-02T17:35:54 main] /opt/puppetlabs/puppet/lib/ruby/vendor_ruby/puppet/util.rb:518:in `thinmark'
[ERROR 2019-10-02T17:35:54 main] /opt/puppetlabs/puppet/lib/ruby/vendor_ruby/puppet/resource/catalog.rb:238:in `block in apply'
[ERROR 2019-10-02T17:35:54 main] /opt/puppetlabs/puppet/lib/ruby/vendor_ruby/puppet/util/log.rb:161:in `with_destination'
[ERROR 2019-10-02T17:35:54 main] /opt/puppetlabs/puppet/lib/ruby/vendor_ruby/puppet/transaction/report.rb:146:in `as_logging_destination'
[ERROR 2019-10-02T17:35:54 main] /opt/puppetlabs/puppet/lib/ruby/vendor_ruby/puppet/resource/catalog.rb:237:in `apply'
[ERROR 2019-10-02T17:35:54 main] /opt/puppetlabs/puppet/lib/ruby/vendor_ruby/puppet/configurer.rb:186:in `block (2 levels) in apply_catalog'
[ERROR 2019-10-02T17:35:54 main] /opt/puppetlabs/puppet/lib/ruby/vendor_ruby/puppet/util.rb:519:in `block in thinmark'
[ERROR 2019-10-02T17:35:54 main] /opt/puppetlabs/puppet/lib/ruby/2.4.0/benchmark.rb:308:in `realtime'
[ERROR 2019-10-02T17:35:54 main] /opt/puppetlabs/puppet/lib/ruby/vendor_ruby/puppet/util.rb:518:in `thinmark'
[ERROR 2019-10-02T17:35:54 main] /opt/puppetlabs/puppet/lib/ruby/vendor_ruby/puppet/configurer.rb:185:in `block in apply_catalog'
[ERROR 2019-10-02T17:35:54 main] /opt/puppetlabs/puppet/lib/ruby/vendor_ruby/puppet/util.rb:232:in `block in benchmark'
[ERROR 2019-10-02T17:35:54 main] /opt/puppetlabs/puppet/lib/ruby/2.4.0/benchmark.rb:308:in `realtime'
[ERROR 2019-10-02T17:35:54 main] /opt/puppetlabs/puppet/lib/ruby/vendor_ruby/puppet/util.rb:231:in `benchmark'
[ERROR 2019-10-02T17:35:54 main] /opt/puppetlabs/puppet/lib/ruby/vendor_ruby/puppet/configurer.rb:184:in `apply_catalog'
[ERROR 2019-10-02T17:35:54 main] /opt/puppetlabs/puppet/lib/ruby/vendor_ruby/puppet/configurer.rb:366:in `run_internal'
[ERROR 2019-10-02T17:35:54 main] /opt/puppetlabs/puppet/lib/ruby/vendor_ruby/puppet/configurer.rb:234:in `block in run'
[ERROR 2019-10-02T17:35:54 main] /opt/puppetlabs/puppet/lib/ruby/vendor_ruby/puppet/context.rb:65:in `override'
[ERROR 2019-10-02T17:35:54 main] /opt/puppetlabs/puppet/lib/ruby/vendor_ruby/puppet.rb:260:in `override'
[ERROR 2019-10-02T17:35:54 main] /opt/puppetlabs/puppet/lib/ruby/vendor_ruby/puppet/configurer.rb:211:in `run'
[ERROR 2019-10-02T17:35:54 main] /opt/puppetlabs/puppet/lib/ruby/vendor_ruby/puppet/application/apply.rb:355:in `apply_catalog'
[ERROR 2019-10-02T17:35:54 main] /opt/puppetlabs/puppet/lib/ruby/vendor_ruby/puppet/application/apply.rb:280:in `block (2 levels) in main'
[ERROR 2019-10-02T17:35:54 main] /opt/puppetlabs/puppet/lib/ruby/vendor_ruby/puppet/context.rb:65:in `override'
[ERROR 2019-10-02T17:35:54 main] /opt/puppetlabs/puppet/lib/ruby/vendor_ruby/puppet.rb:260:in `override'
[ERROR 2019-10-02T17:35:54 main] /opt/puppetlabs/puppet/lib/ruby/vendor_ruby/puppet/application/apply.rb:280:in `block in main'
[ERROR 2019-10-02T17:35:54 main] /opt/puppetlabs/puppet/lib/ruby/vendor_ruby/puppet/context.rb:65:in `override'
```

```
[ERROR 2019-10-02T17:35:54 main] /opt/puppetlabs/puppet/lib/ruby/vendor_ruby/puppet.rb:260:in `override'  
[ERROR 2019-10-02T17:35:54 main] /opt/puppetlabs/puppet/lib/ruby/vendor_ruby/puppet/application/apply.rb:233:in `main'  
[ERROR 2019-10-02T17:35:54 main] /opt/puppetlabs/puppet/lib/ruby/vendor_ruby/puppet/application/apply.rb:174:in `run_command'  
[ERROR 2019-10-02T17:35:54 main] /opt/puppetlabs/puppet/lib/ruby/vendor_ruby/puppet/application.rb:375:in `block in run'  
[ERROR 2019-10-02T17:35:54 main] /opt/puppetlabs/puppet/lib/ruby/vendor_ruby/puppet/util.rb:667:in `exit_on_fail'  
[ERROR 2019-10-02T17:35:54 main] /opt/puppetlabs/puppet/lib/ruby/vendor_ruby/puppet/application.rb:375:in `run'  
[ERROR 2019-10-02T17:35:54 main] /opt/puppetlabs/puppet/lib/ruby/vendor_ruby/puppet/util/command_line.rb:139:in `run'  
[ERROR 2019-10-02T17:35:54 main] /opt/puppetlabs/puppet/lib/ruby/vendor_ruby/puppet/util/command_line.rb:77:in `execute'  
[ERROR 2019-10-02T17:35:54 main] /opt/puppetlabs/puppet/bin/puppet:5:in `'
```

#2 - 10/02/2019 04:42 PM - Raul Gonzalez

- Status changed from New to Resolved

I've made a lot of changes and I'm not very sure witch one worked but now all error are gone... ok, It was a sort issue.