

Installer - Refactor #28378

Parameter foreman-proxy-httpboot should setup TFTP folder

11/27/2019 03:31 PM - Lukas Zapletal

Status: New	
Priority: Low	
Assignee:	
Category: Foreman modules	
Target version:	
Difficulty:	Fixed in Releases:
Triaged: No	Found in Releases:
Bugzilla link:	Red Hat JIRA:
Pull request:	
Description Currently when HTTP boot feature needs to be turned on both options foreman-proxy-httpboot=true and foreman-proxy-tftp=true must be specified as the latter configures /var/lib/tftpboot folder and installs configuration files and bootloaders. It would be nice if this worked only with option foreman-proxy-httpboot=true.	
Related issues: Related to Installer - Bug #30449: Foreman Proxy HTTPBoot feature should not ... Closed	

History

#1 - 11/29/2019 03:17 PM - Ewoud Kohl van Wijngaarden

- Priority changed from Normal to Low

- Fixed in Releases 1.24.0 added

httpboot is hidden under advanced parameters and hidden from the user by default. The httpboot option defaults to undef and is then set to match tftp. That means if you just use --foreman-proxy-tftp=true you get both tftp and httpboot. That is because in the smart-proxy module tftp is defined as a dependency on httpboot. It might be nice to hard fail if httpboot is on but tftp is off.

#2 - 07/30/2020 02:25 PM - Ewoud Kohl van Wijngaarden

- Related to Bug #30449: Foreman Proxy HTTPBoot feature should not require tftp added

#3 - 09/07/2022 02:24 PM - Ewoud Kohl van Wijngaarden

- Fixed in Releases deleted (1.24.0)

Not sure why I set Fixed in Releases. In [#30449](#) the requirement was dropped. It mentions that what this issue describes should still happen.