

Installer - Support #29696

foreman-installer: Could not find init script for 'dynflow-sidekiq@orchestrator' + 'dynflow-sidekiq@worker'

05/05/2020 06:40 AM - Michael Keck

Status:	Feedback	
Priority:	Low	
Assignee:		
Category:		
Target version:		
Triaged:	No	Found in Releases: 2.0.0
Fixed in Releases:		

Description

When running foreman-installer inside an Ubuntu Bionic container, it errors out because it can't find init scripts for dynflow-sidekiq@orchestrator and synflow-sidekiq@worker

```
foreman-installer
Could not find init script for 'dynflow-sidekiq@orchestrator'
/opt/puppetlabs/puppet/lib/ruby/vendor_ruby/puppet/provider/service/init.rb:156:in `search'
/opt/puppetlabs/puppet/lib/ruby/vendor_ruby/puppet/provider/service/init.rb:120:in `initscript'
/opt/puppetlabs/puppet/lib/ruby/vendor_ruby/puppet/provider/service/init.rb:161:in `startcmd'
/opt/puppetlabs/puppet/lib/ruby/vendor_ruby/puppet/provider/service/service.rb:38:in `ucommand'
/opt/puppetlabs/puppet/lib/ruby/vendor_ruby/puppet/provider/service/base.rb:96:in `start'
/opt/puppetlabs/puppet/lib/ruby/vendor_ruby/puppet/type/service.rb:110:in `block (3 levels) in <module:Puppet>'
/opt/puppetlabs/puppet/lib/ruby/vendor_ruby/puppet/property.rb:490:in `set'
/opt/puppetlabs/puppet/lib/ruby/vendor_ruby/puppet/property.rb:570:in `sync'
/opt/puppetlabs/puppet/lib/ruby/vendor_ruby/puppet/type/service.rb:121:in `sync'
/opt/puppetlabs/puppet/lib/ruby/vendor_ruby/puppet/transaction/resource_harness.rb:241:in `sync'
/opt/puppetlabs/puppet/lib/ruby/vendor_ruby/puppet/transaction/resource_harness.rb:136:in `sync_if_needed'
/opt/puppetlabs/puppet/lib/ruby/vendor_ruby/puppet/transaction/resource_harness.rb:82:in `perform_changes'
/opt/puppetlabs/puppet/lib/ruby/vendor_ruby/puppet/transaction/resource_harness.rb:21:in `evaluate'
/opt/puppetlabs/puppet/lib/ruby/vendor_ruby/puppet/transaction.rb:267:in `apply'
/opt/puppetlabs/puppet/lib/ruby/vendor_ruby/puppet/transaction.rb:287:in `eval_resource'
/opt/puppetlabs/puppet/lib/ruby/vendor_ruby/puppet/transaction.rb:191:in `call'
/opt/puppetlabs/puppet/lib/ruby/vendor_ruby/puppet/transaction.rb:191:in `block (2 levels) in evaluate'
/opt/puppetlabs/puppet/lib/ruby/vendor_ruby/puppet/util.rb:521:in `block in thinmark'
/opt/puppetlabs/puppet/lib/ruby/2.5.0/benchmark.rb:308:in `realtime'
/opt/puppetlabs/puppet/lib/ruby/vendor_ruby/puppet/util.rb:520:in `thinmark'
/opt/puppetlabs/puppet/lib/ruby/vendor_ruby/puppet/transaction.rb:191:in `block in evaluate'
/opt/puppetlabs/puppet/lib/ruby/vendor_ruby/puppet/graph/relationship_graph.rb:122:in `traverse'
/opt/puppetlabs/puppet/lib/ruby/vendor_ruby/puppet/transaction.rb:178:in `evaluate'
/opt/puppetlabs/puppet/lib/ruby/vendor_ruby/puppet/resource/catalog.rb:240:in `block (2 levels) in apply'
/opt/puppetlabs/puppet/lib/ruby/vendor_ruby/puppet/util.rb:521:in `block in thinmark'
/opt/puppetlabs/puppet/lib/ruby/2.5.0/benchmark.rb:308:in `realtime'
/opt/puppetlabs/puppet/lib/ruby/vendor_ruby/puppet/util.rb:520:in `thinmark'
/opt/puppetlabs/puppet/lib/ruby/vendor_ruby/puppet/resource/catalog.rb:239:in `block in apply'
/opt/puppetlabs/puppet/lib/ruby/vendor_ruby/puppet/util/log.rb:161:in `with_destination'
/opt/puppetlabs/puppet/lib/ruby/vendor_ruby/puppet/transaction/report.rb:146:in `as_logging_destination'
/opt/puppetlabs/puppet/lib/ruby/vendor_ruby/puppet/resource/catalog.rb:238:in `apply'
/opt/puppetlabs/puppet/lib/ruby/vendor_ruby/puppet/configurer.rb:185:in `block (2 levels) in apply_catalog'
/opt/puppetlabs/puppet/lib/ruby/vendor_ruby/puppet/util.rb:521:in `block in thinmark'
/opt/puppetlabs/puppet/lib/ruby/2.5.0/benchmark.rb:308:in `realtime'
/opt/puppetlabs/puppet/lib/ruby/vendor_ruby/puppet/util.rb:520:in `thinmark'
```

```

/opt/puppetlabs/puppet/lib/ruby/vendor_ruby/puppet/configurer.rb:184:in `block in apply_catalog'
/opt/puppetlabs/puppet/lib/ruby/vendor_ruby/puppet/util.rb:233:in `block in benchmark'
/opt/puppetlabs/puppet/lib/ruby/2.5.0/benchmark.rb:308:in `realtime'
/opt/puppetlabs/puppet/lib/ruby/vendor_ruby/puppet/util.rb:232:in `benchmark'
/opt/puppetlabs/puppet/lib/ruby/vendor_ruby/puppet/configurer.rb:183:in `apply_catalog'
/opt/puppetlabs/puppet/lib/ruby/vendor_ruby/puppet/configurer.rb:391:in `run_internal'
/opt/puppetlabs/puppet/lib/ruby/vendor_ruby/puppet/configurer.rb:227:in `block in run'
/opt/puppetlabs/puppet/lib/ruby/vendor_ruby/puppet/context.rb:62:in `override'
/opt/puppetlabs/puppet/lib/ruby/vendor_ruby/puppet.rb:290:in `override'
/opt/puppetlabs/puppet/lib/ruby/vendor_ruby/puppet/configurer.rb:210:in `run'
/opt/puppetlabs/puppet/lib/ruby/vendor_ruby/puppet/application/apply.rb:343:in `apply_catalog'
/opt/puppetlabs/puppet/lib/ruby/vendor_ruby/puppet/application/apply.rb:260:in `block (2 levels) in
n main'
/opt/puppetlabs/puppet/lib/ruby/vendor_ruby/puppet/context.rb:62:in `override'
/opt/puppetlabs/puppet/lib/ruby/vendor_ruby/puppet.rb:290:in `override'
/opt/puppetlabs/puppet/lib/ruby/vendor_ruby/puppet/application/apply.rb:243:in `block in main'
/opt/puppetlabs/puppet/lib/ruby/vendor_ruby/puppet/context.rb:62:in `override'
/opt/puppetlabs/puppet/lib/ruby/vendor_ruby/puppet.rb:290:in `override'
/opt/puppetlabs/puppet/lib/ruby/vendor_ruby/puppet/application/apply.rb:207:in `main'
/opt/puppetlabs/puppet/lib/ruby/vendor_ruby/puppet/application/apply.rb:177:in `run_command'
/opt/puppetlabs/puppet/lib/ruby/vendor_ruby/puppet/application.rb:382:in `block in run'
/opt/puppetlabs/puppet/lib/ruby/vendor_ruby/puppet/util.rb:710:in `exit_on_fail'
/opt/puppetlabs/puppet/lib/ruby/vendor_ruby/puppet/application.rb:382:in `run'
/opt/puppetlabs/puppet/lib/ruby/vendor_ruby/puppet/util/command_line.rb:143:in `run'
/opt/puppetlabs/puppet/lib/ruby/vendor_ruby/puppet/util/command_line.rb:77:in `execute'
/opt/puppetlabs/puppet/bin/puppet:5:in `

```

```
/opt/puppetlabs/puppet/lib/ruby/vendor_ruby/puppet/util.rb:521:in `block in thinmark'
/opt/puppetlabs/puppet/lib/ruby/2.5.0/benchmark.rb:308:in `realtime'
/opt/puppetlabs/puppet/lib/ruby/vendor_ruby/puppet/util.rb:520:in `thinmark'
/opt/puppetlabs/puppet/lib/ruby/vendor_ruby/puppet/configurer.rb:184:in `block in apply_catalog'
/opt/puppetlabs/puppet/lib/ruby/vendor_ruby/puppet/util.rb:233:in `block in benchmark'
/opt/puppetlabs/puppet/lib/ruby/2.5.0/benchmark.rb:308:in `realtime'
/opt/puppetlabs/puppet/lib/ruby/vendor_ruby/puppet/util.rb:232:in `benchmark'
/opt/puppetlabs/puppet/lib/ruby/vendor_ruby/puppet/configurer.rb:183:in `apply_catalog'
/opt/puppetlabs/puppet/lib/ruby/vendor_ruby/puppet/configurer.rb:391:in `run_internal'
/opt/puppetlabs/puppet/lib/ruby/vendor_ruby/puppet/configurer.rb:227:in `block in run'
/opt/puppetlabs/puppet/lib/ruby/vendor_ruby/puppet/context.rb:62:in `override'
/opt/puppetlabs/puppet/lib/ruby/vendor_ruby/puppet.rb:290:in `override'
/opt/puppetlabs/puppet/lib/ruby/vendor_ruby/puppet/configurer.rb:210:in `run'
/opt/puppetlabs/puppet/lib/ruby/vendor_ruby/puppet/application/apply.rb:343:in `apply_catalog'
/opt/puppetlabs/puppet/lib/ruby/vendor_ruby/puppet/application/apply.rb:260:in `block (2 levels) i
n main'
/opt/puppetlabs/puppet/lib/ruby/vendor_ruby/puppet/context.rb:62:in `override'
/opt/puppetlabs/puppet/lib/ruby/vendor_ruby/puppet.rb:290:in `override'
/opt/puppetlabs/puppet/lib/ruby/vendor_ruby/puppet/application/apply.rb:243:in `block in main'
/opt/puppetlabs/puppet/lib/ruby/vendor_ruby/puppet/context.rb:62:in `override'
/opt/puppetlabs/puppet/lib/ruby/vendor_ruby/puppet.rb:290:in `override'
/opt/puppetlabs/puppet/lib/ruby/vendor_ruby/puppet/application/apply.rb:207:in `main'
/opt/puppetlabs/puppet/lib/ruby/vendor_ruby/puppet/application/apply.rb:177:in `run_command'
/opt/puppetlabs/puppet/lib/ruby/vendor_ruby/puppet/application.rb:382:in `block in run'
/opt/puppetlabs/puppet/lib/ruby/vendor_ruby/puppet/util.rb:710:in `exit_on_fail'
/opt/puppetlabs/puppet/lib/ruby/vendor_ruby/puppet/application.rb:382:in `run'
/opt/puppetlabs/puppet/lib/ruby/vendor_ruby/puppet/util/command_line.rb:143:in `run'
/opt/puppetlabs/puppet/lib/ruby/vendor_ruby/puppet/util/command_line.rb:77:in `execute'
/opt/puppetlabs/puppet/bin/puppet:5:in `'
/Service[puppet-run.timer]: Provider systemd is not functional on this host
Preparing installation Done
  Something went wrong! Check the log for ERROR-level output
  The full log is at /var/log/foreman-installer/foreman.log
```

Full log as as attachment

History

#1 - 05/05/2020 06:42 AM - Michael Keck

ls /etc/init.d								
apache-htcacheclean	cron	foreman	grub-common	lvm2	lvm2-lvmpolld	procps	redis-server	
sysstat	x11-common							
apache2	dbus	foreman-proxy	hwclock.sh	lvm2-lvmetad	postgresql	puppetserver	rsync	
tftpd-hpa								

#2 - 05/05/2020 08:58 AM - Anonymous

Provider systemd is not functional on this host

#3 - 05/05/2020 09:00 AM - Anonymous

- Tracker changed from Bug to Support
- Project changed from Smart Proxy to Installer
- Category deleted (Packaging)
- Status changed from New to Feedback
- Priority changed from Normal to Low

We don't support non-systemd setups for some while, please make sure the Puppet systemd provider works.

Files

foreman.log	1.54 MB	05/05/2020	Michael Keck
-------------	---------	------------	--------------