

## Installer - Bug #34308

### Seed may not be triggered after migration

01/25/2022 11:12 AM - Ewoud Kohl van Wijngaarden

<b>Status:</b>	Closed	
<b>Priority:</b>	Normal	
<b>Assignee:</b>	Ewoud Kohl van Wijngaarden	
<b>Category:</b>	Foreman modules	
<b>Target version:</b>	3.1.1	
<b>Difficulty:</b>		<b>Fixed in Releases:</b> 3.1.1, 3.2.0
<b>Triaged:</b>	Yes	<b>Found in Releases:</b>
<b>Bugzilla link:</b>		<b>Red Hat JIRA:</b>
<b>Pull request:</b>	<a href="https://github.com/theforeman/puppet-foreman/pull/1020">https://github.com/theforeman/puppet-foreman/pull/1020</a>	
<b>Description</b>		
In puppet-foreman we rely on a transitive notification from foreman::rake db:migrate via foreman_config_entry db_pending_seed to foreman::rake db:seed. In <a href="#">#34161</a> we've seen that this isn't always true. An explicit notification would be better.		

#### Associated revisions

##### Revision d86ea26f - 01/25/2022 11:13 AM - Ewoud Kohl van Wijngaarden

Fixes #34308 - Explicitly notify db:seed from db:migrate

This is similar to a293e0084d3c2d62c12ccc6a13338b5db01fe8cf and the problem is that a transitive notify doesn't always happen. However, if a db:migrate happens a db:seed should always happen. So his may be a redundant specification, but it's better to be explicit than relying on implicit behavior.

#### History

##### #1 - 01/25/2022 11:15 AM - The Foreman Bot

- Status changed from New to Ready For Testing
- Assignee set to Ewoud Kohl van Wijngaarden
- Pull request <https://github.com/theforeman/puppet-foreman/pull/1020> added

##### #2 - 01/25/2022 11:39 AM - The Foreman Bot

- Fixed in Releases 3.2.0 added

##### #3 - 01/25/2022 12:01 PM - Ewoud Kohl van Wijngaarden

- Status changed from Ready For Testing to Closed

Applied in changeset [puppet-foreman\[d86ea26f7ac50cd708c17b9333a88f1bbadbf3d9\]](#).

##### #4 - 01/26/2022 01:04 PM - Ewoud Kohl van Wijngaarden

- Triaged changed from No to Yes
- Fixed in Releases 3.1.1 added