Installer - Bug #34686

--reset-data does not remove /var/lib/candlepin/.puppet-candlepin-rpm-version

03/28/2022 12:45 PM - Evgeni Golov

Status: Closed

Priority: Normal

Assignee: Category:

Target version:

Difficulty: Fixed in Releases: 3.3.0

Triaged: No Found in Releases:

Bugzilla link: Red Hat JIRA:

Pull request: https://github.com/theforeman/foreman-i

Evgeni Golov

nstaller/pull/757

Description

Ohai,

 $\underline{https://github.com/theforeman/foreman-installer/blob/ae449b051d6e3648bb6dcb34e12f2bd7bc7bf6f8/hooks/pre/10-reset_data.rb\#L5} \\ \underline{4-L57} \ currently \ reads:$

```
def reset_candlepin
  execute!('rm -f /var/lib/candlepin/.puppet-candlepin-cpdb*', false, true)
  empty_db_in_postgresql('candlepin')
end
```

However, in reality, the files are called:

```
# ls -alh /var/lib/candlepin/.puppet*
-rw-r--r. 1 root root 25 Mar 28 10:53 /var/lib/candlepin/.puppet-candlepin-cpdb-create-done
-rw-r--r. 1 root root 6 Mar 28 10:53 /var/lib/candlepin/.puppet-candlepin-rpm-version
```

Not the missing "cpdb" in the second filename. Thus the file is not removed, and puppet-candlepin doesn't try to migrate the CP database.

Associated revisions

Revision 36ffca77 - 03/28/2022 01:05 PM - Evgeni Golov

Fixes #34686 - remove all puppet-candlepin flag files on reset

History

#1 - 03/28/2022 12:51 PM - The Foreman Bot

- Status changed from New to Ready For Testing
- Assignee set to Evgeni Golov
- Pull request https://github.com/theforeman/foreman-installer/pull/757 added

#2 - 03/28/2022 01:05 PM - The Foreman Bot

- Fixed in Releases 3.3.0 added

#3 - 03/28/2022 02:01 PM - Evgeni Golov

- Status changed from Ready For Testing to Closed

Applied in changeset installer 36ffca77dc8885d90bd883a3eca617034bdb1083.

05/21/2024 1/1