

Installer - Feature #36801

Make Redis the default cache type

10/05/2023 12:41 AM - Eric Helms

Status:	Closed	
Priority:	Normal	
Assignee:	Eric Helms	
Category:		
Target version:	3.9.0	
Difficulty:		Fixed in Releases: 3.9.0
Triaged:	No	Found in Releases:
Bugzilla link:		Red Hat JIRA:
Pull request:	https://github.com/theforeman/puppet-foreman/pull/1134 , https://github.com/theforeman/foreman-installer/pull/888	
Description		

Associated revisions

Revision 7d341993 - 10/17/2023 06:34 PM - Eric Helms

Fixes #36801: Make Redis the default cache type

Revision 8b7b58df - 10/20/2023 11:01 AM - Eric Helms

Refs #36801: Set Redis as the default cache on upgrade

History

#1 - 10/05/2023 12:49 AM - The Foreman Bot

- Status changed from New to Ready For Testing
- Assignee set to Eric Helms
- Pull request <https://github.com/theforeman/puppet-foreman/pull/1134> added

#2 - 10/05/2023 12:56 AM - Eric Helms

- Project changed from Foreman to Installer

#3 - 10/05/2023 01:35 PM - The Foreman Bot

- Pull request <https://github.com/theforeman/foreman-installer/pull/888> added

#4 - 10/11/2023 08:06 PM - Eric Helms

- Target version set to 3.9.0

#5 - 10/17/2023 06:34 PM - The Foreman Bot

- Fixed in Releases 3.9.0 added

#6 - 10/17/2023 07:00 PM - Eric Helms

- Status changed from Ready For Testing to Closed

Applied in changeset [puppet-foreman|7d3419933e32bddd27cfca5fb62b6cd2825a9348](https://gitlab.com/foreman/foreman-installer/-/commits/7d3419933e32bddd27cfca5fb62b6cd2825a9348).