

## Installer - Support #862

### foreman deployment module doesn't work with puppet enterprise

04/20/2011 06:24 PM - Corey Osman

<b>Status:</b> Closed	
<b>Priority:</b> Normal	
<b>Assignee:</b>	
<b>Category:</b>	
<b>Target version:</b>	
<b>Triaged:</b>	<b>Found in Releases:</b>
<b>Fixed in Releases:</b>	
<b>Description</b>	
<p>Many of the assumptions that worked just fine before will not work when puppet enterprise is installed. This is due to the fact that ruby is now installed under /opt/puppet/lib.</p> <p>I will try and go through this and make some corrections but it may need to be forked into a PE module.</p> <pre>.....: reports.pp .....: # please follow the instructions at: http://theforeman.org/wiki/foreman/Puppet_Reports  class foreman::reports {   # directory where your puppet is installed   \$puppet_basedir = \$operatingsystem ? {     default =&gt; "/usr/lib/ruby/1.8/puppet",     "CentOs" =&gt; "/usr/lib/ruby/site_ruby/1.8/puppet",     "RedHat" =&gt; "/usr/lib/ruby/site_ruby/1.8/puppet",   } }</pre>	

#### History

##### #1 - 05/04/2011 07:39 AM - Ohad Levy

- Tracker changed from Bug to Support
- Project changed from Foreman to Installer

##### #2 - 10/20/2011 02:10 PM - Ohad Levy

recent modifications now allow the user to define the paths for in the params file.

##### #3 - 06/17/2012 06:58 AM - Ohad Levy

- Status changed from New to Closed